



ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.

APPROVAL SIGNATURE _____

TITLE HELD _____

DATE OF APPROVAL _____

- NOTES:
- 1) UL 793 LISTED
 - 2) UL 790 CERTIFIED
 - 3) RATED FOR 10 PSF SNOW LOAD AND WIND LOAD 240 PSF UPLIST
 - 4) CURB WIDTHS X LENGTHS BETWEEN THE STANDARD LISTED ARE CUSTOM
 - 5) NUMBER OF GAS SPRINGS VARIES ACROSS SIZES

SECTION A-A

| STANDARD MODELS TABLE | | | | | | | |
|-----------------------|-----------|------------|------|-----------|-----------|------------|------|
| MODEL | WIDTH, IN | LENGTH, IN | QTY. | MODEL | WIDTH, IN | LENGTH, IN | QTY. |
| ULP-4848 | 48 | 48 | | ULP-60144 | 60 | 144 | |
| ULP-4860 | 48 | 60 | | ULP-6672 | 66 | 72 | |
| ULP-4872 | 48 | 72 | | ULP-6684 | 66 | 84 | |
| ULP-4884 | 48 | 84 | | ULP-6696 | 66 | 96 | |
| ULP-4890 | 48 | 90 | | ULP-66108 | 66 | 108 | |
| ULP-4896 | 48 | 96 | | ULP-66120 | 66 | 120 | |
| ULP-5448 | 54 | 48 | | ULP-66132 | 66 | 132 | |
| ULP-5460 | 54 | 60 | | ULP-66144 | 66 | 144 | |
| ULP-5472 | 54 | 72 | | ULP-7272 | 72 | 72 | |
| ULP-6060 | 60 | 60 | | ULP-7284 | 72 | 84 | |
| ULP-6072 | 60 | 72 | | ULP-7296 | 72 | 96 | |
| ULP-6084 | 60 | 84 | | ULP-72108 | 72 | 108 | |
| ULP-6096 | 60 | 96 | | ULP-72120 | 72 | 120 | |
| ULP-60108 | 60 | 108 | | ULP-72132 | 72 | 132 | |
| ULP-60120 | 60 | 120 | | ULP-72144 | 72 | 144 | |
| ULP-60132 | 60 | 132 | | - | - | - | - |

| | | | |
|----------------------------|--|---|--------------|
| DRAWN JSHARP CHECKED | 12/9/2020 | HART & COOLEY INC. Fax: 855-549-2674 www.hartandcooleyinc.com 5030 Corporate Exchange Blvd. SE Grand Rapids, MI. 49512 Ph: 800-624-8642 | |
| QA MFG APPROVED | TOLERANCE UNLESS SPECIFIED .XXX ± 0.005" .XX ± 0.01" FRACT. ± 1/16" ANGLES ± 1' | TITLE ULP GALVANIZED HEAT & SMOKE VENT | |
| SCALE C | DWG NO SUBMITTAL | REV - | SHEET 1 OF 1 |